



| | | |
|---|---|-------------------------------|
| FORM PTO-1449 | SERIAL NO. 08/807,621 | CASE NO. 5050/167 |
| LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (use several sheets if necessary) | FILING DATE February 27, 1997 | GROUP ART UNIT 3300 |
| APPLICANT(S): John W. Eaton et al. | | |

REFERENCE DESIGNATION

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS/ SUBCLASS | FILING DATE |
|---------------------|----|--------------------|------------|---------------|--------------------|----------------|
| <i>msd</i> | A1 | 5,325,860 | 07/05/1994 | Seward et al. | | |
| <i>msd</i> | A2 | 5,345,940 | 09/13/1994 | Seward et al. | | |
| <i>msd</i> | A3 | 5,699,805 | 12/23/1997 | Seward et al. | | |
| <i>msd</i> | A4 | 5,704,361 | 01/06/1998 | Seward et al. | | |
| <i>msd</i> | A5 | 5,713,363 | 02/03/1998 | Seward et al. | | |
| <i>msd</i> | A6 | 08/874,792 | 06/13/1997 | Seward et al. | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS/ SUBCLASS | TRANSLATION YES | NO |
|---------------------|--|--------------------|------|---------|--------------------|--------------------|----|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| EXAMINER INITIAL | OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.) |
|---------------------|--|
| | |
| | |
| | |
| | |
| | |
| | |

| | |
|---------------------|-------------------------------|
| EXAMINER <i>msd</i> | DATE CONSIDERED <i>7/9/98</i> |
|---------------------|-------------------------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



| | | |
|--|------------------------------------|--------------------------|
| FORM PTO-1449 LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (use several sheets if necessary) | SERIAL NO. 08/807,621 | CASE NO. 5050/167 |
| | FILING DATE 02/27/97 | GROUP ART UNIT |
| | APPLICANT(S): John W. Eaton et al. | |

REFERENCE DESIGNATION

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS/ SUBCLASS | FILING DATE |
|---------------------|-----|--------------------|----------|------------------|--------------------|----------------|
| <i>ep</i> | A1 | 5,070,879 | 12/10/91 | Herres | | |
| | A2 | 5,081,993 | 01/21/92 | Kitney et al. | | |
| | A3 | 5,107,844 | 04/28/92 | Kami et al. | | |
| | A4 | 5,161,537 | 11/10/92 | Hashimoto et al. | | |
| | A5 | 5,199,437 | 04/06/93 | Langberg | | |
| | A6 | 5,211,176 | 05/18/93 | Ishiguro et al. | | |
| | A7 | 5,257,629 | 11/02/93 | Kitney et al. | | |
| | A8 | 5,273,045 | 12/28/93 | Chihara et al. | | |
| | A9 | 5,471,988 | 12/05/95 | Fujio et al. | | |
| | A10 | 5,497,776 | 03/12/96 | Yamazaki et al. | | |
| <i>ep</i> | A11 | 5,558,091 | 09/24/96 | Acker et al. | | |
| | A12 | | | | | |
| | A13 | | | | | |

FOREIGN PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS/ SUBCLASS | TRANSLATION YES | NO |
|---------------------|-----|--------------------|------|---------|--------------------|--------------------|----|
| | A14 | | | | | | |
| | A15 | | | | | | |
| | A16 | | | | | | |
| | A17 | | | | | | |
| | A18 | | | | | | |

| EXAMINER INITIAL | | OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.) |
|---------------------|-----|---|
| <i>u</i> | A19 | "Early and Recent Intraluminal Ultrasound Devices," N. Bom et al., International Journal of Cardiac Images 4, pgs. 79-88, (1989). |
| | A20 | |
| | A21 | |
| | A22 | |
| | A23 | |
| | A24 | |

| | |
|--------------------------------|----------------------------------|
| EXAMINER <i>[Signature]</i> | DATE CONSIDERED <i>2/2/98</i> |
|--------------------------------|----------------------------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.